

TigerStop®

fast and accurate...every time


TS350

Compact Cross-Cut Saw


RANDO
TECHNIC

HOUTBEWERKINGSMACHINES
AFZUIGINSTALLATIES
GEREEDSCHAPPEN

TEL. (0515) 43 15 70 - www.rando.nl - SNEEK
ONDERHOUD - REPARATIE - REVISIE




Technical details:

Saw blade diameter	: 350mm
Cutting capacity	: 92x160mm/50x200mm
Motor Power	: 3kW
Display	: 4 line LCD
Working height	: 920mm
Waste extraction	: 2 x Ø 90mm
Feed speed	: up to maximum 60m/min.
Accuracy	: +/- 0,2mm




For an optimum material transport the machine and the tables are tilted at an angle of 8 degrees backwards.



Automatic loading systems available



Everything is controlled through an easy to use controller



LASER Fault marking:

Optimization and defect marking system.
Unique system to mark wood defects fast and easy by interrupting a laser beam.



- No mechanical moving parts
- Easy correction of mistakes during marking
- Comfortable defect marking
- Length measuring
- Optimization with TigerOptimizer
- Priority configuration

The TigerStop saw TS350 is a fast, flexible and safe pushfeed cross cut saw for many applications.

Cutting with high accuracy of packs, profiles and single pieces is guaranteed.

The well known Tigerstop control panel has extensive programming possibilities.

Simple to use, capacity of 100 programmable cut lists.

TS350



Tigerlink 6


Do you use design and cut listing software or Excel? Combine cut lists or download multiple cut lists to multiple TigerStop cut list locations simultaneously.

- Streamline your workflow from PC to TigerStop
- Organise, prioritize and follow jobs as they are carried out
- Sort saw lists for specific machines
- Design labels to identify parts easier
- Combine multiple jobs for better optimization
- Save your cut lists on the PC
- Connects from up to 6 TigerStops

BeamWorks

Beamworks Multitool Software

A simple product list is used to direct the TigerStop for positioning and relay machinery activation. Importing files from excel (or other tabulation programs) and some draw programs is possible.



Labelprinter



HANDYSCAN

Optimization and defect marking system

Unique system to mark wood defects fast and easy by interrupting a laser beam.

Handyscan

- No mechanical moving parts
- No camera prone to dust
- Easy correction of mistakes during marking
- Comfortable defect marking without chalk
- Length measuring
- Optimization with TigerOptimizer
- Priority configuration



RANDO
TECHNIC

TEL. (0515) 43 15 70 - www.rando.nl